


STATION DESCRIPTION

CANAL	: <i>La Nicoliere Feeder Canal</i>		
CATCHMENT CODE	: <i>E</i>		
STATION CODE	: <i>E008A</i>	: <i>E008B</i>	: <i>E008C</i>
LOCATION	: <i>La Pipe</i>	: <i>Bois Clair</i>	: <i>Nicoliere</i>
GRID REF.	Easting : <i>1,009,785</i>	: <i>1,010,125</i>	: <i>1,009,822</i>
	Northing : <i>987,000</i>	: <i>989,377</i>	: <i>1,003,930</i>
ELEVATION	(m) (a.m.s.l) : <i>335</i>	: <i>330</i>	: <i>250</i>
EQUIPMENT	: <i>Trapezoidal flume with 6 ft staff gauge</i>		
	: <i>Munro vertical weekly water level recorder</i>		
	: <i>Trapezoidal flume with 6 ft staff gauge</i>		
	: <i>Munro vertical weekly water level recorder</i>		
	: <i>Rectangular sharp crested weir with 1 m staff gauge</i>		
	: <i>Munro vertical weekly water level recorder</i>		
RECORD	: <i>Since April 1963</i>	: <i>Since May 1973</i>	: <i>Since August 1968</i>

SCHEMATIC DIAGRAM OF NICOLIERE FEEDER CANAL



ANNUAL DISCHARGE RECORD

RIVER Nicoliere Feeder @ La Pipe E008a

Day	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	
	1	0.522	0.290	0.647	2.900	2.920	3.090	1.710	0.675	1.490	1.290	1.640	0.776
2	0.473	0.278	0.731	2.690	2.320	2.850	3.380	0.652	1.690	2.970	1.500	0.832	
3	0.514	0.276	0.648	2.200	1.850	2.910	3.150	0.565	2.780	2.830	1.440	1.280	
4	0.486	0.277	0.610	1.870	1.850	2.520	2.530	0.555	1.720	4.200	1.300	2.440	
5	0.433	0.287	0.570	1.580	1.890	2.200	2.600	0.559	1.960	3.110	1.180	1.710	
6	0.405	0.379	0.670	1.440	1.600	2.170	2.100	0.706	1.600	3.110	1.280	1.700	
7	0.407	0.356	0.592	1.470	1.680	2.050	1.820	0.691	1.390	2.880	1.120	1.200	
8	0.383	0.312	0.551	1.870	2.110	2.090	1.590	0.656	1.310	3.070	1.000	1.130	
9	0.357	0.282	0.525	1.760	2.340	1.760	2.100	0.725	2.730	4.770	0.936	1.090	
10	0.348	0.353	0.502	1.530	2.440	1.620	2.460	0.661	2.110	4.300	0.879	0.983	
11	0.343	0.366	0.904	1.320	2.180	1.560	1.980	0.656	2.590	3.680	0.836	1.340	
12	0.332	0.381	1.290	1.220	2.110	1.410	1.740	0.867	2.470	2.920	0.800	1.150	
13	0.333	0.721	0.951	2.320	2.160	1.350	1.500	0.971	2.350	3.530	0.826	0.981	
14	0.340	2.610	0.970	2.720	2.490	2.010	1.330	1.140	2.710	3.820	0.786	0.862	
15	0.323	1.550	0.855	3.030	2.630	1.870	1.220	1.020	2.170	2.860	0.724	0.804	
16	0.324	1.010	0.773	3.140	2.480	1.440	1.140	1.630	1.820	2.350	0.668	0.779	
17	0.420	0.841	0.735	3.310	3.560	1.280	1.060	0.999	1.810	2.160	0.736	0.772	
18	0.363	1.030	0.689	3.100	3.340	1.210	1.000	0.819	2.090	1.920	0.662	0.734	
19	0.381	0.791	0.652	3.060	3.260	1.140	0.954	0.855	1.760	1.780	0.639	0.730	
20	0.378	0.720	0.714	2.980	3.270	1.020	0.945	0.741	1.780	1.560	0.619	0.784	
21	0.366	0.701	0.905	2.980	3.260	0.939	0.906	0.752	1.640	1.410	0.598	0.945	
22	0.332	0.673	0.899	2.850	2.950	0.886	0.856	0.682	1.430	1.820	0.548	1.380	
23	0.259	0.633	0.735	2.500	2.440	2.000	0.831	0.654	1.300	1.540	0.517	1.210	
24	0.286	0.607	0.794	1.930	2.110	2.940	0.803	0.648	1.360	1.380	0.561	1.040	
25	0.365	0.575	0.767	1.710	2.330	3.260	0.786	1.080	1.250	2.500	0.608	0.906	
26	0.314	0.550	0.715	1.540	2.170	2.860	0.754	1.590	1.240	1.680	0.591	0.808	
27	0.300	0.520	0.749	1.520	1.800	2.050	0.720	1.270	1.140	1.610	0.594	0.742	
28	0.326	0.560	2.490	1.460	1.650	1.780	0.707	2.080	1.090	1.810	0.743	0.681	
29	0.332	1.240	3.480	2.110	1.480	1.500	0.821	3.240	0.940	3.220	1.070	0.645	
30	0.318	0.864	3.070		1.720	1.320	0.738	1.900	1.200	2.120	0.985	0.629	
31		0.711	2.970		1.720		0.704		1.010	1.990		0.621	
Total (m³/sDays)	11.063	20.744	32.153	64.110	72.110	57.085	44.935	30.039	53.930	80.190	26.386	31.684	524.429
Volume (Mm³)	0.956	1.792	2.778	5.539	6.230	4.932	3.882	2.595	4.660	6.928	2.280	2.737	45.311
Mean (m³/s)	0.369	0.669	1.037	2.211	2.326	1.903	1.450	1.001	1.740	2.587	0.880	1.022	1.433
Max (m³/s)	0.522	2.610	3.480	3.310	3.560	3.260	3.380	3.240	2.780	4.770	1.640	2.440	4.770
Min (m³/s)	0.259	0.276	0.502	1.220	1.480	0.886	0.704	0.555	0.940	1.290	0.517	0.621	0.259
Abs Peak (m³/s)	1.720	3.030	4.420	3.750	3.810	3.420	3.430	4.020	4.050	5.110	1.810	4.250	5.110

Day	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	
1	0.613	1.080	0.576	1.370	2.120	0.872	1.460	1.910	1.640	3.400	1.200	0.553	
2	0.590	1.040	0.752	3.490	1.900	1.410	1.330	1.580	1.880	2.590	0.972	0.542	
3	0.559	0.975	0.812	2.260	1.620	1.220	1.220	1.400	1.790	3.520	1.030	0.522	
4	0.549	1.000	0.848	1.800	1.450	1.630	1.120	1.280	3.040	4.480	2.610	0.507	
5	0.522	1.050	1.390	1.600	1.640	4.070	1.030	1.180	3.520	4.250	2.210	0.486	
6	0.517	0.974	1.350	1.540	1.710	3.710	1.040	1.100	2.770	4.080	1.510	0.468	
7	0.525	0.858	1.180	1.370	1.320	4.040	1.050	1.090	2.350	3.400	1.270	0.467	
8	0.490	0.820	1.050	1.360	1.230	2.870	0.976	1.230	2.000	4.040	1.900	0.466	
9	0.472	0.784	0.914	1.400	1.120	2.240	0.879	0.952	1.780	3.300	1.960	0.501	
10	0.489	0.727	0.822	1.190	1.310	1.880	0.822	0.913	1.630	2.630	1.650	0.523	
11	0.507	0.697	0.719	1.060	1.500	2.310	0.759	0.855	1.480	2.190	3.000	0.606	
12	0.466	0.757	0.654	0.970	1.640	4.350	0.699	0.835	1.360	1.920	2.350	0.616	
13	0.438	0.657	2.070	0.903	1.480	4.260	0.687	1.110	1.220	1.700	1.830	0.566	
14	0.421	0.591	4.260	0.905	1.340	4.840	0.685	0.923	1.140	1.580	1.560	0.575	
15	0.436	0.541	3.140	1.650	1.450	4.360	0.664	0.849	1.040	1.410	1.390	0.957	
16	0.445	0.521	3.700	3.420	1.350	4.560	0.709	0.811	0.961	1.280	1.290	0.785	
17	0.415	0.499	2.620	4.010	1.340	4.190	0.695	0.803	0.903	1.210	1.160	0.674	
18	0.397	0.488	1.950	3.840	1.400	3.620	0.854	0.760	0.840	1.090	1.050	0.600	
19	0.377	0.485	1.670	3.130	1.250	2.940	1.260	0.724	0.989	1.300	0.961	0.614	
20	0.471	0.472	1.580	3.130	1.120	2.460	1.330	0.890	1.010	1.240	0.884	0.546	
21	0.529	0.458	3.990	3.930	1.060	2.940	2.920	2.820	0.844	1.060	0.805	0.607	
22	0.465	0.447	4.150	3.580	1.100	3.810	1.630	2.590	0.786	0.955	0.758	0.860	
23	0.611	1.380	2.990	2.650	1.340	2.900	2.200	1.830	0.753	0.928	0.802	0.694	
24	3.490	1.580	2.390	2.450	1.180	2.370	2.720	1.440	0.821	0.865	0.794	0.782	
25	2.280	1.300	1.950	2.270	1.140	2.100	1.780	1.290	0.764	0.812	0.735	0.796	
26	1.570	0.917	1.680	2.110	1.010	3.000	1.510	1.970	0.717	0.793	0.712	0.673	
27	1.140	0.793	1.510	2.720	0.930	2.220	1.890	1.760	0.878	0.776	0.688	0.632	
28	0.950	0.687	1.310	2.710	0.933	1.870	1.670	1.740	1.950	0.772	0.643	0.562	
29	0.782	0.644	1.170		0.848	1.670	2.970	1.560	1.980	0.737	0.610	1.170	
30	0.780	0.566	1.150		0.803	1.580	3.410	2.040	1.850	0.730	0.564	0.923	
31		0.666	1.090		0.772		2.440		1.650	0.872		0.729	
Total (m³/sDays)	22.296	24.454	55.437	62.818	40.406	86.292	44.409	40.235	46.336	59.910	38.898	20.002	541.493
Volume (Mm³)	1.926	2.113	4.790	5.427	3.491	7.456	3.837	3.476	4.003	5.176	3.361	1.728	46.785
Mean (m³/s)	0.743	0.789	1.788	2.244	1.303	2.876	1.433	1.341	1.495	1.933	1.297	0.645	1.484
Max (m³/s)	3.490	1.580	4.260	4.010	2.120	4.840	3.410	2.820	3.520	4.480	3.000	1.170	4.840
Min (m³/s)	0.377	0.447	0.576	0.903	0.772	0.872	0.664	0.724	0.717	0.730	0.564	0.466	0.377
Abs Peak (m³/s)	4.330	3.890	5.440	5.020	2.960	5.830	4.830	3.950	4.330	4.630	4.470	1.810	5.830

ANNUAL DISCHARGE RECORD

RIVER Nicoliere Feeder @ La Pipe E008a

YEAR	Day	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	
		2001/02	1	0.652	0.344	2.970	0.258	1.150	1.080	1.880	3.670	1.960	1.490	3.560
	2	0.837	0.328	3.270	0.258	1.740	1.010	2.100	3.650	1.710	1.390	2.780	0.225	
	3	0.957	0.326	4.280	0.253	2.140	0.959	1.670	2.750	2.200	1.520	2.190	0.212	
	4	1.010	0.332	3.200	0.253	2.230	2.040	1.510	2.250	3.480	1.410	1.900	0.200	
	5	1.530	0.325	2.180	0.253	2.060	3.080	3.140	2.200	3.670	1.280	1.670	0.190	
	6	1.170	0.316	2.790	0.253	4.200	2.100	3.410	2.000	3.450	1.380	1.550	0.187	
	7	1.050	0.303	4.100	0.253	3.800	2.070	2.780	1.700	3.040	1.590	1.330	0.187	
	8	1.070	0.283	3.090	0.253	4.090	1.970	3.050	1.530	2.470	3.720	1.230	0.187	
	9	1.000	0.293	2.390	0.253	3.860	1.860	3.010	1.400	2.100	3.250	1.200	0.187	
	10	0.841	0.292	2.440	0.248	3.770	4.110	2.410	1.360	2.610	3.340	1.160	0.177	
	11	0.754	0.337	1.870	0.250	3.930	3.990	2.300	1.300	2.250	3.940	1.110	0.170	
	12	0.684	0.361	1.570	0.273	4.290	3.080	1.980	1.570	1.930	4.180	2.170	0.340	
	13	0.649	0.328	1.980	0.281	4.200	2.400	1.760	1.850	1.770	3.720	1.300	0.285	
	14	0.609	0.300	3.170	0.272	3.860	1.980	1.590	1.500	1.570	3.280	0.452	0.228	
	15	0.574	0.275	2.050	0.267	3.610	1.750	1.490	1.320	2.320	2.720	0.392	0.214	
	16	0.542	0.260	1.660	0.255	4.130	1.580	1.340	1.430	2.130	2.410	0.352	0.228	
	17	0.498	0.251	1.440	0.253	3.670	1.410	1.220	1.270	1.820	2.030	0.345	0.220	
	18	0.474	0.263	1.330	1.170	2.960	1.310	1.110	1.170	1.960	1.810	0.352	0.206	
	19	0.485	0.261	1.820	2.610	2.470	1.210	1.100	1.100	1.890	1.890	0.334	0.407	
	20	0.459	0.247	1.360	3.860	2.180	1.110	1.700	1.400	1.700	1.690	0.328	1.070	
	21	0.444	0.340	0.884	2.710	2.670	1.070	2.890	1.750	1.550	1.550	0.305	0.860	
	22	0.430	0.303	0.442	2.140	3.100	1.010	1.770	3.060	2.610	1.490	0.287	0.511	
	23	0.415	0.271	0.331	1.800	2.330	1.060	1.600	2.790	2.910	1.460	0.277	0.406	
	24	0.411	0.267	0.289	1.530	1.950	2.470	1.350	2.640	3.540	1.410	0.283	0.348	
	25	0.400	0.260	0.278	1.400	1.750	1.950	1.220	2.340	2.700	1.350	0.280	0.324	
	26	0.413	0.267	0.265	1.280	1.570	1.350	1.160	2.100	2.300	1.370	0.289	0.300	
	27	0.395	0.299	0.260	1.180	1.480	1.140	1.150	1.850	2.000	1.820	0.279	0.282	
	28	0.380	0.475	0.263	1.080	1.330	1.020	1.350	1.910	1.820	1.680	0.258	0.268	
	29	0.366	0.505	0.263		1.360	0.945	1.350	2.190	1.630	1.500	0.229	0.258	
	30	0.342	1.070	0.263		1.370	1.180	1.350	2.510	1.510	1.830	0.226	0.245	
	31		3.390	0.263		1.220		3.230		1.540	2.880	0.244	Y E A R	
	Total (m ³ /sDays)	19.841	13.472	52.761	25.146	84.470	53.294	58.970	59.560	70.140	66.380	28.418	9.395	541.847
	Volume (Mm ³)	1.714	1.164	4.559	2.173	7.298	4.605	5.095	5.146	6.060	5.735	2.455	0.812	46.816
	Mean (m ³ /s)	0.661	0.435	1.702	0.898	2.725	1.776	1.902	1.985	2.263	2.141	0.947	0.303	1.485
	Max (m ³ /s)	1.530	3.390	4.280	3.860	4.290	4.110	3.410	3.670	3.670	4.180	3.560	1.070	4.290
	Min (m ³ /s)	0.342	0.247	0.260	0.248	1.150	0.945	1.100	1.100	1.510	1.280	0.226	0.170	0.170
	Abs Peak (m ³ /s)	1.820	5.440	4.850	4.110	4.540	4.380	4.330	4.180	4.110	4.440	4.050	2.310	5.440

YEAR	Day	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	
		2002/03	1	0.233	1.430	0.757	0.711	0.570	0.754	3.400	1.520	0.350	1.620	0.952
	2	0.228	1.410	0.622	0.799	0.480	1.120	3.230	1.920	0.313	1.140	0.890	0.605	
	3	0.230	1.670	0.548	0.760	0.450	1.150	2.850	1.980	0.304	1.550	0.886	0.655	
	4	0.543	1.870	0.498	0.707	0.450	0.946	3.410	2.850	1.010	1.490	0.848	0.780	
	5	0.462	1.870	0.436	0.766	0.569	0.833	4.420	2.290	1.760	1.370	0.875	0.789	
	6	0.329	1.680	0.409	0.654	0.472	0.989	2.890	1.850	1.750	1.300	0.978	0.764	
	7	0.289	1.570	0.488	1.030	0.450	0.726	2.680	1.560	3.710	1.220	1.230	0.705	
	8	0.266	1.520	0.412	0.946	0.433	3.130	2.600	1.350	4.470	1.140	3.090	0.673	
	9	0.249	1.510	0.399	1.200	0.479	3.510	2.540	1.150	4.590	1.910	4.020	0.659	
	10	0.240	1.490	0.379	3.050	0.464	2.660	2.510	1.040	5.720	2.000	2.970	0.639	
	11	0.228	1.580	0.335	4.040	0.511	1.480	2.460	1.080	5.810	1.930	2.110	0.623	
	12	0.224	1.530	0.320	2.840	0.636	1.220	2.310	1.190	5.250	1.730	1.780	0.576	
	13	0.221	1.850	0.299	4.990	0.730	1.600	2.250	0.679	4.400	1.630	1.620	1.320	
	14	0.219	1.710	0.294	2.420	0.602	1.100	2.290	0.636	4.220	2.380	1.560	3.120	
	15	0.208	2.690	0.330	1.440	0.526	1.160	2.200	0.638	4.550	3.170	1.780	3.730	
	16	0.199	2.410	0.286	1.090	0.528	0.993	1.980	0.637	3.810	2.790	3.820	3.730	
	17	0.191	1.080	0.268	0.956	2.020	0.929	1.850	0.718	3.970	4.420	5.600	3.730	
	18	0.181	0.724	0.258	0.977	0.874	1.110	1.710	0.639	3.610	4.530	5.220	3.730	
	19	0.184	0.596	0.240	1.180	0.695	2.130	2.680	0.709	2.970	4.250	4.280	3.720	
	20	0.193	0.504	0.287	0.747	0.732	1.180	3.240	0.837	2.450	3.340	3.270	3.700	
	21	0.293	0.451	0.377	0.687	2.700	1.140	2.630	0.968	2.270	3.000	2.890	3.700	
	22	0.228	0.511	0.549	0.601	1.120	0.963	2.170	1.080	2.150	2.220	3.560	3.710	
	23	0.195	0.480	1.300	0.555	0.883	0.916	1.840	1.090	2.210	1.890	3.000	3.250	
	24	0.181	0.420	0.702	0.507	1.100	1.790	1.600	1.480	3.030	1.700	2.320	2.740	
	25	0.178	0.386	0.476	0.489	1.040	2.340	1.420	1.250	2.480	1.670	1.940	2.690	
	26	0.181	0.418	0.580	0.531	0.892	2.370	1.280	1.300	2.040	1.400	1.810	2.690	
	27	0.426	0.827	1.290	0.579	0.809	5.830	1.200	0.785	1.730	1.250	2.360	2.690	
	28	0.686	0.678	0.714	0.691	0.703	4.980	1.110	0.395	2.190	1.160	2.310	2.830	
	29	1.420	0.594	0.573		1.190	3.700	1.570	0.372	2.770	1.060	1.540	2.990	
	30	1.410	0.754	0.517		0.845	2.990	1.790	0.357	3.250	0.937	0.677	2.860	
	31		0.578	0.500		0.716		1.720		2.030	0.879		1.730	Y E A R
	Total (m ³ /sDays)	10.315	36.791	15.443	35.943	24.669	55.739	71.830	34.350	91.167	62.076	70.186	66.744	575.253
	Volume (Mm ³)	0.891	3.179	1.334	3.105	2.131	4.816	6.206	2.968	7.877	5.363	6.064	5.767	49.702
	Mean (m ³ /s)	0.344	1.187	0.498	1.284	0.796	1.858	2.317	1.145	2.941	2.002	2.340	2.153	1.576
	Max (m ³ /s)	1.420	2.690	1.300	4.990	2.700	5.830	4.420	2.850	5.810	4.530	5.600	3.730	5.830
	Min (m ³ /s)	0.178	0.386	0.240	0.489	0.433	0.726	1.110	0.357	0.304	0.879	0.677	0.576	0.178
	Abs Peak (m ³ /s)	1.430	5.860	4.740	6.660	5.860	6.840	6.070	3.100	6.170	5.880	6.000	3.750	6.840

ANNUAL DISCHARGE RECORD

RIVER Nicoliere Feeder @ La Pipe E008a

Day	RIVER Nicoliere Feeder @ La Pipe												E008a
	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	
1	0.389	2.390	2.800	2.720	5.590	2.570	4.260	1.220	2.460	0.832	0.464	0.638	
2	0.368	2.360	4.280	1.960	5.390	3.230	6.800	1.120	2.310	1.370	0.753	0.583	
3	0.334	2.360	2.680	2.200	3.460	3.480	6.270	1.060	2.360	1.210	1.180	0.540	
4	0.334	2.340	0.396	2.040	3.870	3.440	5.630	1.160	2.940	1.030	1.200	0.492	
5	0.334	2.330	0.771	2.460	6.310	2.900	5.070	1.010	2.930	0.868	1.280	0.465	
6	0.334	2.290	1.090	3.130	6.000	2.840	5.520	0.988	2.990	0.768	1.430	0.454	
7	0.335	2.290	0.781	2.500	4.960	3.590	5.350	0.960	2.730	0.676	1.700	0.450	
8	0.334	1.630	2.280	2.030	4.070	5.320	6.050	1.130	2.450	0.636	2.050	0.445	
9	0.332	0.485	1.010	1.800	3.510	6.040	5.010	1.130	2.210	0.617	2.530	0.438	
10	0.334	0.454	1.000	2.120	2.630	6.750	3.710	1.110	1.910	0.603	2.530	0.417	
11	0.334	0.440	0.830	1.940	1.840	6.250	4.010	1.390	1.680	0.571	2.620	0.392	
12	0.727	0.421	1.260	2.590	1.720	5.830	3.340	1.130	1.490	0.578	2.610	0.391	
13	2.310	0.403	1.960	2.590	1.570	4.790	2.740	1.120	1.400	0.553	2.550	0.398	
14	2.310	0.391	1.690	2.970	1.420	5.610	3.240	1.060	1.290	0.582	2.520	0.406	
15	2.400	0.376	1.640	4.340	2.280	5.320	5.970	0.901	1.170	0.590	2.520	0.392	
16	2.730	0.384	1.430	3.270	2.420	4.850	4.750	1.120	1.080	0.614	2.510	0.394	
17	3.210	0.399	1.550	2.450	1.320	4.600	3.470	1.240	1.040	0.579	2.550	0.609	
18	2.710	0.385	1.330	2.480	1.060	4.380	2.850	1.310	1.190	0.600	2.570	0.787	
19	2.590	0.365	1.240	2.050	1.270	3.870	1.920	1.230	1.170	0.607	2.800	1.510	
20	2.500	0.355	1.400	1.770	3.780	3.190	1.760	2.460	1.090	0.616	2.720	1.510	
21	2.480	0.349	1.430	2.190	5.270	3.210	1.630	2.530	0.999	0.667	2.670	1.510	
22	2.450	0.782	1.570	3.880	5.600	2.290	2.370	2.130	1.400	0.744	2.930	1.510	
23	2.590	0.363	2.520	3.010	4.340	2.170	2.590	1.700	1.380	0.622	3.260	1.510	
24	3.030	0.896	1.870	4.370	4.270	1.950	2.070	1.740	1.500	0.611	3.100	1.510	
25	2.750	1.630	1.360	3.350	4.400	1.740	1.890	1.930	1.350	0.613	3.330	1.580	
26	2.660	1.620	1.150	2.450	4.740	3.140	4.750	2.430	1.150	0.609	3.890	1.670	
27	2.580	1.650	1.010	2.100	3.480	2.920	2.960	4.540	1.020	0.563	2.660	2.040	
28	2.530	1.650	1.560	1.860	4.500	2.470	2.290	5.650	0.901	0.639	0.865	2.370	
29	2.480	1.780	1.110	3.690	5.570	1.320	1.760	4.440	0.862	0.633	0.757	2.370	
30	2.420	2.410	0.977		4.470	1.300	1.440	3.160	0.856	0.573	0.690	2.390	
31		2.810	0.933		3.800		1.310		0.835	0.602	2.360	2.360	
Total (m³/sDays)	51.219	38.788	46.908	76.310	114.910	111.360	112.780	54.099	50.143	21.376	65.239	32.531	775.663
Volume (Mm³)	4.425	3.351	4.053	6.593	9.928	9.622	9.744	4.674	4.332	1.847	5.637	2.811	67.017
Mean (m³/s)	1.707	1.251	1.513	2.631	3.707	3.712	3.638	1.803	1.618	0.690	2.175	1.049	2.119
Max (m³/s)	3.210	2.810	4.280	4.370	6.310	6.750	6.800	5.650	2.990	1.370	3.890	2.390	6.800
Min (m³/s)	0.332	0.349	0.396	1.770	1.060	1.300	1.310	0.901	0.835	0.553	0.464	0.391	0.332
Abs Peak (m³/s)	4.380	4.650	6.070	8.140	8.060	7.390	7.000	5.920	3.650	1.510	5.960	2.410	8.140

Day	RIVER Nicoliere Feeder @ La Pipe												E008a
	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	
1	2.370	0.511	0.896	0.498	3.090	2.090	0.728	2.720	2.060	1.380	1.510	3.940	
2	2.370	0.506	0.881	0.475	3.440	2.070	0.709	2.630	2.000	1.420	2.220	2.890	
3	2.370	1.380	0.825	0.568	5.580	2.140	2.530	1.840	1.940	1.630	2.750	2.420	
4	2.460	1.740	0.736	2.270	4.810	2.140	3.870	0.773	1.920	1.580	2.210	2.210	
5	2.390	0.930	0.695	3.030	6.320	2.080	2.400	0.787	1.940	1.650	2.000	3.460	
6	2.360	0.726	0.655	2.900	5.950	1.920	1.370	0.608	1.960	0.698	1.890	3.190	
7	2.360	0.650	0.611	2.730	5.500	1.900	1.440	0.573	4.690	0.757	1.870	2.550	
8	2.350	0.605	0.653	1.970	3.770	1.920	1.300	0.585	4.690	0.703	1.890	2.340	
9	2.470	0.570	0.637	2.520	3.170	1.960	1.350	0.573	4.070	0.766	1.390	1.940	
10	2.590	0.530	0.557	2.820	2.370	3.840	1.200	0.585	4.860	1.020	1.260	1.920	
11	2.760	0.503	0.563	2.800	1.850	4.040	1.160	0.868	3.550	0.971	2.170	1.530	
12	2.660	0.486	0.549	2.690	1.660	3.410	1.050	1.410	3.420	1.030	1.700	1.230	
13	2.770	0.480	0.529	2.660	1.540	2.750	0.996	1.290	3.130	1.090	2.570	1.110	
14	3.490	0.609	0.574	2.550	1.410	1.680	0.961	1.140	3.090	1.090	2.410	1.430	
15	4.560	0.557	0.526	2.680	1.370	1.550	0.868	1.070	2.600	1.590	3.190	1.630	
16	3.450	0.549	0.506	4.860	1.540	1.430	0.818	1.050	2.920	1.550	3.990	1.490	
17	2.950	0.539	0.504	5.310	1.650	1.310	2.280	1.030	3.850	1.630	3.190	1.130	
18	2.530	0.543	0.497	5.760	4.820	1.130	3.080	2.330	3.630	1.610	4.240	0.561	
19	1.280	0.567	0.494	5.860	5.350	1.020	3.520	2.340	4.490	1.480	5.770	0.712	
20	1.160	0.544	0.494	5.400	5.440	0.978	3.000	2.060	3.530	1.260	5.710	1.240	
21	0.946	0.514	0.478	4.070	6.670	0.944	2.440	2.180	3.490	1.200	5.290	2.330	
22	0.811	0.757	0.489	3.120	6.770	0.959	2.990	2.860	3.420	1.210	4.340	2.290	
23	0.742	1.440	1.160	2.620	6.810	1.240	2.010	3.000	3.370	1.100	3.280	2.300	
24	0.691	1.450	0.803	3.070	6.410	1.480	1.860	2.920	1.890	0.873	2.580	2.260	
25	0.645	1.440	0.770	3.300	6.000	1.530	3.070	2.540	1.640	0.690	2.370	2.240	
26	0.610	1.730	0.725	4.460	5.740	1.450	2.990	2.440	1.570	0.784	2.140	2.230	
27	0.580	3.390	0.709	6.000	5.160	1.330	2.910	2.160	1.440	1.100	1.900	2.220	
28	0.558	1.960	0.654	4.670	3.630	1.070	2.860	2.110	1.380	1.450	2.570	2.210	
29	0.516	2.140	0.575		3.420	0.917	2.810	2.180	1.260	1.550	2.980	2.190	
30	0.505	2.110	0.536		3.300	0.850	2.750	2.130	1.700	1.510	3.270	2.170	
31		1.070	0.511		2.880		2.780		1.400	1.360		2.210	
Total (m³/sDays)	58.304	31.526	19.792	91.661	127.420	53.128	64.100	50.782	86.900	37.732	84.650	63.573	769.568
Volume (Mm³)	5.037	2.724	1.710	7.920	11.009	4.590	5.538	4.388	7.508	3.260	7.314	5.493	66.491
Mean (m³/s)	1.943	1.017	0.638	3.274	4.110	1.771	2.068	1.693	2.803	1.217	2.822	2.051	2.108
Max (m³/s)	4.560	3.390	1.160	6.000	6.810	4.040	3.870	3.000	4.860	1.650	5.770	3.940	6.810
Min (m³/s)	0.505	0.480	0.478	0.475	1.370	0.850	0.709	0.573	1.260	0.690	1.260	0.561	0.475
Abs Peak (m³/s)	6.460	6.680	1.710	7.130	6.810	4.050	3.920	3.000	4.890	1.740	6.220	4.710	7.130