

ANNUAL DISCHARGE RECORD

RIVER Nicoliere Feeder @ Nicoliere

E008c

| YEAR 2005/2006 | Day | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct |
|------------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|
| | 1 | 2.290 | 0.022 | 2.830 | 2.750 | 1.700 | 0.794 | 1.170 | 2.470 | 0.556 | 2.350 | 0.890 | 2.720 |
| 2 | 2.620 | 1.080 | 2.930 | 2.870 | 1.400 | 1.660 | 1.020 | 2.510 | 0.813 | 2.200 | 0.837 | 2.720 | |
| 3 | 2.280 | 2.040 | 3.140 | 2.330 | 0.802 | 1.650 | 1.230 | 2.550 | 0.699 | 1.940 | 2.370 | 2.610 | |
| 4 | 1.930 | 2.250 | 3.140 | 1.980 | 2.920 | 1.610 | 1.000 | 2.730 | 0.535 | 1.740 | 1.530 | 2.490 | |
| 5 | 1.910 | 2.090 | 3.210 | 1.770 | 1.650 | 1.580 | 0.922 | 2.820 | 0.460 | 1.590 | 1.220 | 2.390 | |
| 6 | 1.850 | 2.020 | 3.140 | 1.660 | 0.875 | 1.750 | 0.871 | 2.730 | 0.406 | 1.920 | 1.130 | 2.440 | |
| 7 | 1.850 | 2.450 | 3.140 | 1.530 | 0.440 | 1.890 | 0.845 | 2.770 | 0.515 | 1.590 | 1.010 | 2.430 | |
| 8 | 1.830 | 2.780 | 3.120 | 1.520 | 0.265 | 1.820 | 0.816 | 2.660 | 0.436 | 1.420 | 0.941 | 2.480 | |
| 9 | 2.410 | 2.480 | 3.100 | 1.570 | 0.192 | 1.850 | 0.739 | 2.590 | 0.391 | 1.270 | 1.060 | 2.400 | |
| 10 | 2.530 | 2.640 | 1.730 | 1.470 | 0.162 | 1.690 | 0.678 | 2.650 | 0.382 | 1.170 | 0.944 | 2.490 | |
| 11 | 2.540 | 2.470 | 0.964 | 1.340 | 0.155 | 1.250 | 0.619 | 2.780 | 0.382 | 1.130 | 0.863 | 2.420 | |
| 12 | 2.470 | 2.540 | 0.886 | 1.290 | 0.168 | 1.430 | 0.616 | 2.890 | 0.733 | 0.993 | 0.766 | 2.410 | |
| 13 | 2.470 | 2.470 | 1.010 | 1.160 | 0.490 | 1.440 | 0.618 | 2.790 | 0.523 | 0.947 | 0.739 | 2.530 | |
| 14 | 2.540 | 2.540 | 0.942 | 1.110 | 0.932 | 1.510 | 0.626 | 2.730 | 0.555 | 0.922 | 0.739 | 2.720 | |
| 15 | 2.170 | 2.790 | 0.863 | 1.210 | 0.920 | 1.760 | 1.010 | 2.640 | 0.756 | 0.854 | 0.807 | 2.800 | |
| 16 | 2.180 | 2.830 | 0.935 | 2.090 | 0.917 | 1.470 | 1.970 | 2.630 | 1.290 | 0.839 | 1.560 | 2.820 | |
| 17 | 2.150 | 0.135 | 0.938 | 3.920 | 1.810 | 1.340 | 1.900 | 2.620 | 2.560 | 0.789 | 1.650 | 2.840 | |
| 18 | 2.080 | 1.220 | 0.888 | 2.750 | 2.010 | 1.910 | 2.170 | 2.640 | 2.780 | 0.684 | 1.540 | 2.850 | |
| 19 | 2.520 | 1.800 | 0.861 | 2.700 | 1.450 | 2.080 | 2.190 | 2.740 | 2.020 | 0.651 | 1.490 | 2.820 | |
| 20 | 2.470 | 1.320 | 0.872 | 3.060 | 0.995 | 1.830 | 2.250 | 2.630 | 1.650 | 0.634 | 2.670 | 2.780 | |
| 21 | 2.470 | 1.830 | 0.743 | 1.710 | 0.462 | 1.570 | 2.260 | 2.420 | 2.040 | 0.623 | 2.640 | 2.750 | |
| 22 | 0.149 | 0.926 | 0.670 | 1.660 | 0.910 | 1.810 | 2.330 | 2.270 | 2.110 | 0.675 | 2.580 | 2.840 | |
| 23 | 0.024 | 2.440 | 1.190 | 0.458 | 1.560 | 1.860 | 2.360 | 2.240 | 2.650 | 0.675 | 2.470 | 2.820 | |
| 24 | 0.022 | 2.790 | 4.890 | 0.388 | 1.920 | 0.342 | 2.210 | 2.520 | 2.730 | 0.718 | 2.550 | 2.830 | |
| 25 | 0.022 | 2.720 | 2.760 | 1.460 | 0.497 | 0.038 | 2.180 | 2.660 | 2.180 | 0.748 | 2.540 | 2.820 | |
| 26 | 0.305 | 2.790 | 3.150 | 0.452 | 0.234 | 0.025 | 2.180 | 2.540 | 1.840 | 1.870 | 1.890 | 2.740 | |
| 27 | 0.300 | 2.760 | 2.600 | 0.388 | 0.170 | 0.074 | 2.130 | 2.430 | 2.550 | 1.960 | 2.580 | 2.760 | |
| 28 | 0.282 | 2.720 | 2.580 | 0.387 | 0.148 | 0.599 | 2.120 | 2.120 | 2.310 | 1.750 | 2.540 | 2.740 | |
| 29 | 0.095 | 2.690 | 2.500 | 0.132 | 1.530 | 2.100 | 0.435 | 2.260 | 1.970 | 2.580 | 2.760 | 2.760 | |
| 30 | 0.025 | 2.680 | 2.060 | 0.117 | 1.330 | 2.160 | 0.354 | 2.340 | 1.340 | 2.580 | 2.800 | 2.800 | |
| 31 | | 2.610 | 1.860 | 0.115 | 2.470 | 2.470 | 2.470 | 2.470 | 1.000 | 2.760 | 2.760 | 2.760 | |
| Total (m³/sDays) | 48.785 | 66.923 | 63.642 | 46.983 | 26.518 | 41.492 | 47.760 | 73.559 | 43.922 | 38.962 | 49.706 | 82.780 | 631.032 |
| Volume (Mm³) | 4.215 | 5.782 | 5.495 | 4.059 | 2.291 | 3.585 | 4.126 | 6.355 | 3.795 | 3.366 | 4.295 | 7.152 | 54.521 |
| Mean (m³/s) | 1.626 | 2.159 | 2.053 | 1.678 | 0.855 | 1.383 | 1.541 | 2.452 | 1.417 | 1.257 | 1.657 | 2.670 | 1.729 |
| Max (m³/s) | 2.620 | 2.830 | 4.890 | 3.920 | 2.920 | 2.080 | 2.470 | 2.890 | 2.780 | 2.350 | 2.670 | 2.850 | 4.890 |
| Min (m³/s) | 0.022 | 0.022 | 0.670 | 0.387 | 0.115 | 0.025 | 0.616 | 0.354 | 0.382 | 0.623 | 0.739 | 2.390 | 0.022 |
| Abs Peak (m³/s) | 2.910 | 2.830 | 5.040 | 5.220 | 5.130 | 2.470 | 2.580 | 2.950 | 3.100 | 2.500 | 2.910 | 2.980 | 5.220 |

| YEAR 2006 / 07 | Day | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct |
|------------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|
| | 1 | 2.740 | 1.690 | 1.410 | 3.060 | 0.166 | 1.030 | 2.330 | 2.430 | 1.960 | 0.886 | 2.090 | 2.450 |
| 2 | 2.770 | 1.670 | 1.460 | 3.290 | 0.120 | 1.100 | 2.100 | 2.160 | 1.920 | 2.100 | 1.980 | 2.540 | |
| 3 | 2.730 | 1.660 | 1.620 | 3.430 | 0.171 | 1.320 | 1.880 | 2.940 | 1.850 | 2.280 | 1.920 | 2.500 | |
| 4 | 2.710 | 1.640 | 1.640 | 3.130 | 0.508 | 1.470 | 1.760 | 2.250 | 2.070 | 2.260 | 1.850 | 2.360 | |
| 5 | 2.720 | 1.580 | 1.490 | 3.210 | 0.590 | 1.450 | 1.630 | 1.310 | 2.770 | 2.090 | 1.880 | 2.430 | |
| 6 | 2.700 | 1.560 | 1.430 | 2.980 | 0.127 | 1.440 | 1.530 | 1.220 | 2.800 | 2.350 | 1.870 | 2.530 | |
| 7 | 2.310 | 1.530 | 1.570 | 2.690 | 0.170 | 1.540 | 1.430 | 1.150 | 2.760 | 2.220 | 1.850 | 2.430 | |
| 8 | 1.640 | 1.710 | 1.730 | 2.280 | 0.454 | 1.660 | 1.310 | 1.030 | 3.040 | 2.090 | 1.830 | 2.360 | |
| 9 | 1.630 | 2.170 | 1.650 | 2.300 | 0.080 | 1.660 | 1.270 | 0.968 | 2.870 | 2.110 | 1.790 | 2.430 | |
| 10 | 1.640 | 2.180 | 1.480 | 2.340 | 0.335 | 1.550 | 1.350 | 3.220 | 2.800 | 2.080 | 1.800 | 2.430 | |
| 11 | 1.650 | 2.210 | 1.240 | 2.530 | 1.060 | 1.450 | 1.220 | 2.780 | 2.720 | 2.150 | 1.760 | 2.430 | |
| 12 | 1.680 | 2.230 | 1.400 | 2.280 | 0.893 | 1.310 | 1.160 | 2.050 | 2.830 | 2.810 | 1.750 | 2.430 | |
| 13 | 1.660 | 2.180 | 1.270 | 1.970 | 0.987 | 1.280 | 1.090 | 1.710 | 3.050 | 2.380 | 1.860 | 2.410 | |
| 14 | 1.630 | 2.120 | 1.310 | 1.740 | 1.070 | 1.670 | 0.934 | 1.510 | 2.880 | 2.290 | 2.230 | 2.330 | |
| 15 | 1.540 | 2.210 | 2.110 | 1.740 | 1.520 | 1.550 | 1.070 | 1.300 | 3.130 | 2.240 | 1.820 | 2.450 | |
| 16 | 1.850 | 2.190 | 2.510 | 2.060 | 1.530 | 1.710 | 1.900 | 1.020 | 3.030 | 2.260 | 1.610 | 2.440 | |
| 17 | 2.860 | 2.190 | 2.380 | 2.300 | 1.840 | 2.190 | 3.190 | 0.932 | 3.090 | 2.170 | 1.890 | 2.360 | |
| 18 | 2.330 | 2.190 | 1.660 | 2.680 | 2.240 | 2.400 | 3.150 | 0.813 | 2.950 | 2.170 | 1.850 | 2.380 | |
| 19 | 1.660 | 2.200 | 1.470 | 2.540 | 2.090 | 2.410 | 2.940 | 0.810 | 3.110 | 2.040 | 1.760 | 2.660 | |
| 20 | 1.320 | 2.210 | 2.150 | 2.570 | 1.860 | 2.650 | 3.060 | 0.758 | 3.290 | 2.030 | 1.750 | 2.300 | |
| 21 | 1.190 | 2.160 | 2.250 | 2.420 | 1.760 | 2.910 | 3.020 | 0.585 | 0.779 | 2.080 | 2.090 | 2.120 | |
| 22 | 1.200 | 2.110 | 2.000 | 1.420 | 1.540 | 2.880 | 3.200 | 0.134 | 0.883 | 2.080 | 2.590 | 2.450 | |
| 23 | 1.200 | 2.130 | 1.800 | 0.727 | 1.450 | 2.820 | 3.480 | 0.005 | 0.987 | 2.180 | 2.540 | 3.090 | |
| 24 | 1.100 | 2.150 | 1.960 | 0.150 | 2.600 | 2.670 | 3.460 | 0.000 | 0.040 | 2.120 | 2.490 | 2.730 | |
| 25 | 1.090 | 2.140 | 1.400 | 0.496 | 2.790 | 2.380 | 3.400 | 0.000 | 0.000 | 2.080 | 2.470 | 1.640 | |
| 26 | 1.070 | 2.160 | 1.630 | 0.467 | 2.440 | 2.330 | 2.250 | 0.000 | 0.000 | 1.980 | 2.380 | 1.320 | |
| 27 | 1.130 | 2.220 | 2.750 | 0.568 | 2.190 | 2.350 | 2.130 | 0.000 | 0.000 | 1.920 | 2.420 | 1.160 | |
| 28 | 1.760 | 2.190 | 2.740 | 0.263 | 2.090 | 2.590 | 2.120 | 0.851 | 0.000 | 1.890 | 2.430 | 1.230 | |
| 29 | 1.710 | 1.980 | 2.730 | 1.760 | 2.880 | 2.480 | 2.880 | 0.959 | 0.000 | 1.880 | 2.430 | 1.010 | |
| 30 | 1.670 | 1.420 | 3.120 | 1.540 | 2.640 | 3.480 | 1.810 | 0.014 | 1.910 | 2.450 | 0.941 | 2.450 | |
| 31 | | 1.380 | 2.340 | 1.420 | 2.470 | 2.470 | 2.470 | 0.851 | 2.090 | 0.913 | 2.450 | 0.913 | |
| Total (m³/sDays) | 54.890 | 61.360 | 57.700 | 57.631 | 39.391 | 59.290 | 67.794 | 36.705 | 58.474 | 65.216 | 61.430 | 67.254 | 687.134 |
| Volume (Mm³) | 4.742 | 5.302 | 4.985 | 4.979 | 3.403 | 5.123 | 5.857 | 3.171 | 5.052 | 5.635 | 5.308 | 5.811 | 59.368 |
| Mean (m³/s) | 1.830 | 1.979 | 1.861 | 2.058 | 1.271 | 1.976 | 2.187 | 1.223 | 1.886 | 2.104 | 2.048 | 2.169 | 1.883 |
| Max (m³/s) | 2.860 | 2.230 | 3.120 | 3.430 | 2.790 | 2.910 | 3.480 | 3.220 | 3.290 | 2.810 | 2.590 | 3.090 | 3.480 |
| Min (m³/s) | 1.070 | 1.380 | 1.240 | 0.150 | 0.080 | 1.030 | 0.934 | 0.000 | 0.000 | 0.886 | 1.610 | 0.913 | 0.000 |
| Abs Peak (m³/s) | 3.260 | 2.360 | 4.330 | 3.580 | 2.800 | 3.020 | 3.530 | 3.340 | 3.300 | 2.830 | 2.610 | 3.300 | 4.330 |

ANNUAL DISCHARGE RECORD

RIVER Nicoliere Feeder @ Nicoliere

E008c

| YEAR 2007/08 | Day | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct |
|------------------------------------|---------------|---------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|
| | 1 | 0.810 | 2.080 | 1.320 | 2.420 | 1.360 | 0.000 | 0.000 | 2.720 | 0.819 | 1.090 | 1.110 | 1.440 |
| 2 | 0.764 | 2.080 | 1.270 | 2.060 | 1.500 | 0.000 | 0.216 | 2.660 | 0.867 | 1.330 | 0.897 | 1.440 | |
| 3 | 0.582 | 2.030 | 1.270 | 1.610 | 1.480 | 0.000 | 0.909 | 2.630 | 1.380 | 1.330 | 1.060 | 1.440 | |
| 4 | 0.575 | 2.000 | 1.430 | 2.210 | 1.350 | 0.000 | 0.921 | 2.650 | 1.610 | 1.290 | 0.944 | 1.770 | |
| 5 | 0.641 | 2.000 | 1.440 | 2.060 | 1.730 | 0.000 | 0.936 | 2.630 | 1.470 | 1.300 | 1.170 | 0.828 | |
| 6 | 0.599 | 1.940 | 1.360 | 1.730 | 1.830 | 0.000 | 1.670 | 2.030 | 1.420 | 2.050 | 1.510 | 1.110 | |
| 7 | 0.515 | 1.920 | 1.350 | 1.480 | 1.530 | 0.000 | 1.660 | 0.865 | 1.320 | 2.080 | 1.170 | 1.630 | |
| 8 | 1.810 | 1.950 | 0.486 | 1.390 | 1.480 | 0.000 | 1.660 | 0.860 | 1.180 | 2.150 | 1.070 | 1.690 | |
| 9 | 1.760 | 1.930 | 0.683 | 1.240 | 1.330 | 0.000 | 1.360 | 0.885 | 1.220 | 1.680 | 1.340 | 1.540 | |
| 10 | 1.850 | 1.950 | 1.940 | 1.130 | 1.200 | 0.000 | 1.500 | 0.886 | 1.100 | 1.660 | 1.080 | 1.650 | |
| 11 | 1.760 | 1.850 | 1.710 | 1.130 | 1.260 | 0.000 | 1.530 | 0.886 | 0.960 | 1.690 | 0.944 | 2.330 | |
| 12 | 2.010 | 2.390 | 0.968 | 1.040 | 1.270 | 0.000 | 1.450 | 0.886 | 0.912 | 1.690 | 2.100 | 2.360 | |
| 13 | 1.990 | 2.270 | 0.525 | 0.985 | 1.750 | 0.000 | 1.420 | 0.813 | 0.850 | 1.690 | 1.860 | 2.360 | |
| 14 | 1.790 | 2.410 | 0.452 | 0.866 | 0.005 | 0.000 | 1.530 | 0.810 | 0.819 | 1.660 | 1.600 | 2.030 | |
| 15 | 1.750 | 2.520 | 0.420 | 1.760 | 0.624 | 0.000 | 0.819 | 0.810 | 1.700 | 1.540 | 1.390 | 2.080 | |
| 16 | 1.750 | 2.440 | 0.390 | 2.520 | 0.162 | 0.000 | 1.350 | 0.810 | 2.400 | 0.198 | 1.740 | 1.860 | |
| 17 | 1.750 | 2.360 | 0.417 | 2.940 | 0.002 | 0.000 | 2.320 | 0.820 | 2.160 | 1.600 | 3.890 | 1.720 | |
| 18 | 1.690 | 2.360 | 0.450 | 2.870 | 0.000 | 0.000 | 1.100 | 0.810 | 1.590 | 1.510 | 1.070 | 1.510 | |
| 19 | 1.690 | 2.360 | 0.390 | 2.450 | 0.000 | 0.000 | 2.860 | 0.810 | 0.834 | 1.710 | 0.430 | 1.360 | |
| 20 | 1.690 | 1.310 | 0.447 | 2.130 | 0.000 | 0.000 | 2.830 | 0.810 | 0.838 | 1.510 | 0.447 | 1.350 | |
| 21 | 1.690 | 1.270 | 0.390 | 2.100 | 0.000 | 0.000 | 3.030 | 0.810 | 1.120 | 1.440 | 1.610 | 1.270 | |
| 22 | 1.660 | 1.290 | 0.488 | 2.120 | 0.000 | 0.000 | 3.300 | 0.810 | 2.120 | 1.270 | 1.540 | 1.080 | |
| 23 | 1.670 | 1.270 | 0.525 | 2.640 | 0.000 | 0.000 | 2.980 | 0.832 | 1.850 | 1.130 | 1.500 | 0.994 | |
| 24 | 1.690 | 1.270 | 0.515 | 2.720 | 0.000 | 0.000 | 2.950 | 0.848 | 0.679 | 1.120 | 0.398 | 1.120 | |
| 25 | 1.630 | 2.250 | 0.535 | 3.080 | 0.000 | 0.000 | 2.840 | 0.846 | 0.621 | 1.070 | 0.352 | 0.996 | |
| 26 | 1.600 | 2.290 | 0.422 | 2.470 | 2.200 | 0.000 | 2.790 | 0.844 | 0.730 | 1.430 | 0.965 | 0.941 | |
| 27 | 1.650 | 2.440 | 0.390 | 1.090 | 1.090 | 0.000 | 2.640 | 0.866 | 1.560 | 1.680 | 0.991 | 0.792 | |
| 28 | 2.060 | 2.540 | 0.319 | 0.835 | 0.271 | 0.000 | 2.320 | 0.877 | 1.560 | 1.480 | 0.635 | 0.740 | |
| 29 | 2.080 | 2.300 | 0.291 | 1.070 | 0.082 | 0.000 | 2.140 | 0.880 | 1.120 | 1.140 | 0.620 | 0.693 | |
| 30 | 2.080 | 2.350 | 0.334 | | 0.025 | 0.000 | 2.470 | 0.870 | 1.120 | 1.120 | 0.916 | 0.577 | |
| 31 | | 2.480 | 0.914 | | 0.001 | | 2.720 | | 1.430 | 0.957 | 1.430 | 0.641 | |
| Total (m³/sDays) | 45.586 | 63.900 | 23.841 | 54.146 | 23.531 | 0.000 | 58.221 | 35.564 | 38.886 | 45.068 | 36.349 | 43.342 | 468.434 |
| Volume (Mm³) | 3.939 | 5.521 | 2.060 | 4.678 | 2.033 | 0.000 | 5.030 | 3.073 | 3.360 | 3.894 | 3.141 | 3.745 | 40.473 |
| Mean (m³/s) | 1.520 | 2.061 | 0.769 | 1.867 | 0.759 | 0.000 | 1.878 | 1.185 | 1.254 | 1.454 | 1.212 | 1.398 | 1.280 |
| Max (m³/s) | 2.080 | 2.540 | 1.940 | 3.080 | 2.200 | 0.000 | 3.300 | 2.720 | 2.400 | 2.150 | 3.890 | 2.360 | 3.890 |
| Min (m³/s) | 0.515 | 1.270 | 0.291 | 0.835 | 0.000 | 0.000 | 0.000 | 0.810 | 0.621 | 0.198 | 0.352 | 0.577 | 0.000 |
| Abs Peak (m³/s) | 2.290 | 2.610 | 2.910 | 3.140 | 2.800 | 0.000 | 4.460 | 2.760 | 2.870 | 2.150 | 3.950 | 2.360 | 4.460 |

| YEAR 2008/09 | Day | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct |
|------------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|
| | 1 | 0.773 | 2.400 | 2.720 | 1.200 | 2.420 | 0.002 | 1.400 | 1.380 | 1.130 | 2.750 | 1.530 | 0.635 |
| 2 | 0.917 | 2.570 | 2.650 | 2.110 | 1.530 | 0.176 | 1.770 | 1.650 | 1.130 | 2.750 | 1.840 | 0.533 | |
| 3 | 0.749 | 2.660 | 2.650 | 1.920 | 1.690 | 0.576 | 1.980 | 1.780 | 0.896 | 2.830 | 1.850 | 0.541 | |
| 4 | 0.767 | 2.850 | 2.790 | 1.380 | 1.770 | 0.565 | 1.910 | 1.650 | 0.813 | 2.870 | 1.660 | 0.505 | |
| 5 | 1.520 | 2.980 | 2.720 | 0.016 | 2.090 | 0.566 | 1.780 | 1.500 | 0.787 | 2.870 | 1.660 | 0.533 | |
| 6 | 1.600 | 3.020 | 2.620 | 0.779 | 2.490 | 0.592 | 2.190 | 1.340 | 0.669 | 2.870 | 1.450 | 1.520 | |
| 7 | 1.650 | 3.020 | 2.200 | 1.440 | 1.890 | 0.572 | 2.420 | 1.230 | 0.912 | 2.170 | 1.880 | 1.750 | |
| 8 | 1.660 | 2.840 | 1.990 | 1.090 | 1.880 | 0.597 | 2.020 | 1.270 | 0.813 | 1.380 | 2.150 | 2.290 | |
| 9 | 1.680 | 2.710 | 1.700 | 0.938 | 2.470 | 0.630 | 1.780 | 1.300 | 0.933 | 1.580 | 1.990 | 2.360 | |
| 10 | 1.610 | 2.650 | 1.840 | 1.150 | 2.050 | 0.847 | 1.630 | 1.350 | 0.815 | 1.720 | 1.600 | 2.360 | |
| 11 | 1.570 | 2.690 | 2.100 | 0.056 | 1.590 | 0.009 | 1.520 | 1.220 | 0.883 | 1.320 | 1.420 | 2.360 | |
| 12 | 1.570 | 2.680 | 2.340 | 0.000 | 2.100 | 0.207 | 1.370 | 0.978 | 0.920 | 1.650 | 1.220 | 2.360 | |
| 13 | 1.590 | 2.630 | 2.360 | 1.300 | 1.350 | 0.989 | 1.080 | 1.260 | 1.130 | 1.940 | 1.210 | 2.340 | |
| 14 | 1.750 | 2.560 | 2.160 | 1.730 | 0.911 | 0.972 | 1.070 | 1.580 | 1.140 | 1.910 | 1.030 | 2.300 | |
| 15 | 2.380 | 2.480 | 1.530 | 1.710 | 0.002 | 0.516 | 2.080 | 2.470 | 1.190 | 1.660 | 1.200 | 2.300 | |
| 16 | 2.600 | 2.430 | 1.500 | 1.530 | 0.000 | 0.852 | 2.630 | 2.050 | 1.170 | 1.370 | 1.180 | 2.290 | |
| 17 | 2.360 | 2.460 | 1.440 | 0.650 | 0.562 | 1.130 | 2.620 | 1.550 | 1.230 | 1.420 | 1.030 | 2.310 | |
| 18 | 2.270 | 2.490 | 0.653 | 1.280 | 1.040 | 0.013 | 2.330 | 1.650 | 1.370 | 1.410 | 1.140 | 2.370 | |
| 19 | 2.260 | 2.420 | 0.414 | 1.320 | 0.591 | 0.000 | 0.630 | 1.720 | 1.570 | 1.390 | 1.150 | 2.350 | |
| 20 | 2.290 | 2.360 | 1.030 | 1.460 | 0.014 | 1.000 | 2.580 | 1.570 | 1.790 | 1.400 | 1.070 | 2.330 | |
| 21 | 2.240 | 2.470 | 2.240 | 1.210 | 0.000 | 1.260 | 2.590 | 1.270 | 2.200 | 1.380 | 1.340 | 2.390 | |
| 22 | 2.250 | 2.610 | 0.695 | 1.910 | 0.252 | 1.590 | 2.620 | 1.130 | 2.510 | 1.610 | 1.150 | 2.690 | |
| 23 | 2.250 | 2.650 | 1.110 | 0.929 | 0.776 | 2.360 | 1.320 | 1.120 | 2.540 | 1.910 | 0.997 | 2.380 | |
| 24 | 2.200 | 2.650 | 1.490 | 1.270 | 0.762 | 2.290 | 1.830 | 1.120 | 2.610 | 1.820 | 0.817 | 2.730 | |
| 25 | 2.170 | 2.650 | 0.994 | 1.630 | 0.739 | 2.290 | 1.340 | 1.240 | 2.610 | 1.310 | 0.741 | 2.910 | |
| 26 | 2.130 | 2.650 | 1.070 | 2.600 | 1.490 | 1.990 | 0.817 | 1.760 | 2.780 | 1.240 | 0.739 | 2.910 | |
| 27 | 2.080 | 2.700 | 1.070 | 2.590 | 2.470 | 1.270 | 1.860 | 1.540 | 2.770 | 1.070 | 0.739 | 3.020 | |
| 28 | 2.430 | 2.800 | 0.779 | 2.050 | 1.740 | 1.730 | 1.770 | 1.450 | 2.720 | 1.170 | 0.628 | 3.020 | |
| 29 | 2.610 | 2.650 | 1.530 | 0.884 | 2.250 | 1.130 | 1.160 | 1.160 | 2.720 | 1.830 | 0.622 | 3.060 | |
| 30 | 2.130 | 2.650 | 1.390 | 1.380 | 1.800 | 1.800 | 2.000 | 1.130 | 2.630 | 1.850 | 0.644 | 3.060 | |
| 31 | | 2.650 | 1.080 | | 0.031 | | 1.410 | | 2.570 | 1.850 | | 3.060 | |
| Total (m³/sDays) | 56.056 | 82.030 | 52.855 | 37.249 | 38.965 | 29.641 | 55.477 | 43.418 | 49.951 | 56.300 | 37.677 | 67.567 | 607.185 |
| Volume (Mm³) | 4.843 | 7.087 | 4.567 | 3.218 | 3.367 | 2.561 | 4.793 | 3.751 | 4.316 | 4.864 | 3.255 | 5.838 | 52.461 |
| Mean (m³/s) | 1.869 | 2.646 | 1.705 | 1.330 | 1.257 | 0.988 | 1.790 | 1.447 | 1.611 | 1.816 | 1.256 | 2.180 | 1.664 |
| Max (m³/s) | 2.610 | 3.020 | 2.790 | 2.600 | 2.490 | 2.360 | 2.630 | 2.470 | 2.780 | 2.870 | 2.150 | 3.060 | 3.060 |
| Min (m³/s) | 0.749 | 2.360 | 0.414 | 0.000 | 0.000 | 0.000 | 0.630 | 0.978 | 0.669 | 1.070 | 0.622 | 0.505 | 0.000 |
| Abs Peak (m³/s) | 3.450 | 3.060 | 2.800 | 2.650 | 5.460 | 2.470 | 2.910 | 2.610 | 2.950 | 2.910 | 2.180 | 3.300 | 5.460 |

ANNUAL DISCHARGE RECORD

RIVER Nicoliere Feeder @ Nicoliere

E008c

| Day | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | |
|------------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|
| 1 | 3.100 | 0.000 | 1.820 | 1.080 | 1.950 | 0.880 | 2.360 | 2.350 | 2.400 | 1.910 | 2.540 | 2.720 | |
| 2 | 1.370 | 0.285 | 1.720 | 0.752 | 1.720 | 0.801 | 2.270 | 2.120 | 2.360 | 1.210 | 2.540 | 2.620 | |
| 3 | 3.030 | 0.578 | 1.660 | 1.190 | 1.720 | 0.826 | 2.080 | 1.760 | 2.530 | 0.006 | 2.540 | 2.610 | |
| 4 | 3.100 | 0.635 | 1.840 | 2.050 | 2.070 | 0.837 | 1.900 | 1.520 | 2.540 | 0.000 | 2.540 | 2.610 | |
| 5 | 2.020 | 0.599 | 1.970 | 0.576 | 2.100 | 2.080 | 1.760 | 1.380 | 2.540 | 0.000 | 2.540 | 2.610 | |
| 6 | 1.980 | 0.663 | 1.770 | 1.100 | 2.150 | 2.050 | 1.540 | 1.410 | 2.540 | 0.000 | 0.102 | 2.830 | |
| 7 | 0.944 | 0.027 | 1.920 | 1.260 | 2.040 | 1.990 | 1.400 | 1.340 | 2.540 | 0.000 | 0.000 | 2.730 | |
| 8 | 1.440 | 0.021 | 1.980 | 1.000 | 1.630 | 1.870 | 1.440 | 1.200 | 2.560 | 0.000 | 0.000 | 2.620 | |
| 9 | 1.390 | 0.575 | 1.980 | 0.991 | 2.020 | 1.830 | 1.270 | 1.060 | 2.610 | 0.000 | 0.000 | 2.610 | |
| 10 | 1.190 | 0.311 | 1.980 | 0.190 | 2.080 | 1.800 | 1.620 | 1.070 | 2.610 | 0.000 | 0.000 | 2.610 | |
| 11 | 1.130 | 0.872 | 1.980 | 0.156 | 0.636 | 1.560 | 1.630 | 0.752 | 2.610 | 0.000 | 0.000 | 2.540 | |
| 12 | 0.989 | 0.890 | 1.980 | 1.390 | 1.610 | 1.470 | 1.320 | 0.739 | 2.440 | 0.000 | 0.000 | 2.540 | |
| 13 | 0.933 | 0.815 | 1.980 | 0.168 | 0.775 | 1.670 | 1.460 | 0.739 | 2.430 | 1.300 | 2.000 | 2.470 | |
| 14 | 0.912 | 0.765 | 1.980 | 0.115 | 0.739 | 1.660 | 1.370 | 0.920 | 2.530 | 1.640 | 1.860 | 2.540 | |
| 15 | 0.800 | 0.993 | 2.010 | 0.076 | 0.971 | 1.550 | 1.300 | 0.740 | 2.540 | 2.750 | 1.660 | 2.300 | |
| 16 | 1.040 | 1.260 | 2.320 | 0.003 | 1.630 | 1.360 | 0.785 | 0.625 | 2.540 | 2.220 | 1.510 | 2.420 | |
| 17 | 2.470 | 1.340 | 2.110 | 0.000 | 1.430 | 1.210 | 0.583 | 1.640 | 2.540 | 1.780 | 1.440 | 2.290 | |
| 18 | 2.600 | 1.440 | 2.080 | 0.000 | 0.079 | 1.180 | 0.932 | 1.840 | 2.430 | 2.170 | 1.300 | 1.990 | |
| 19 | 2.330 | 1.690 | 2.080 | 0.000 | 0.000 | 1.170 | 1.810 | 1.850 | 2.430 | 2.160 | 1.270 | 2.280 | |
| 20 | 2.540 | 1.690 | 2.080 | 0.000 | 0.000 | 1.710 | 2.270 | 1.850 | 2.430 | 1.860 | 1.130 | 2.290 | |
| 21 | 2.830 | 1.810 | 2.080 | 0.000 | 0.000 | 1.550 | 2.290 | 1.910 | 2.430 | 2.070 | 0.996 | 2.290 | |
| 22 | 2.830 | 1.750 | 3.450 | 0.000 | 0.000 | 1.550 | 2.090 | 1.550 | 2.430 | 2.080 | 1.820 | 2.190 | |
| 23 | 2.600 | 1.720 | 1.300 | 0.000 | 0.000 | 1.680 | 2.150 | 2.060 | 2.530 | 2.250 | 1.850 | 2.180 | |
| 24 | 1.120 | 1.690 | 3.150 | 0.000 | 0.000 | 1.510 | 1.790 | 2.180 | 2.610 | 2.410 | 1.850 | 2.420 | |
| 25 | 0.006 | 1.720 | 0.757 | 0.059 | 0.000 | 1.210 | 1.510 | 2.280 | 2.610 | 2.430 | 1.850 | 2.190 | |
| 26 | 0.000 | 1.850 | 0.667 | 1.420 | 0.000 | 1.400 | 1.420 | 2.290 | 2.540 | 2.430 | 1.850 | 2.770 | |
| 27 | 0.000 | 1.850 | 0.667 | 2.180 | 0.034 | 1.540 | 1.440 | 2.290 | 2.450 | 2.500 | 1.690 | 2.830 | |
| 28 | 0.000 | 1.760 | 0.622 | 2.150 | 0.000 | 1.530 | 1.390 | 2.260 | 2.510 | 2.540 | 1.690 | 2.830 | |
| 29 | 0.000 | 1.520 | 0.620 | | 0.000 | 2.040 | 1.370 | 2.280 | 2.490 | 2.540 | 2.260 | 2.910 | |
| 30 | 0.000 | 1.200 | 0.620 | | 0.000 | 2.320 | 1.900 | 2.290 | 2.010 | 2.540 | 2.600 | 2.910 | |
| 31 | | 1.890 | 1.320 | | 0.207 | | 2.420 | | 1.910 | 2.540 | | 2.910 | |
| Total (m³/sDays) | 44.694 | 34.209 | 54.493 | 17.906 | 27.591 | 45.834 | 50.870 | 48.295 | 76.670 | 45.336 | 43.428 | 78.660 | 567.986 |
| Volume (Mm³) | 3.862 | 2.956 | 4.708 | 1.547 | 2.384 | 3.960 | 4.395 | 4.173 | 6.624 | 3.917 | 3.752 | 6.796 | 49.074 |
| Mean (m³/s) | 1.490 | 1.104 | 1.758 | 0.640 | 0.890 | 1.528 | 1.641 | 1.610 | 2.473 | 1.462 | 1.448 | 2.537 | 1.556 |
| Max (m³/s) | 3.100 | 1.890 | 3.450 | 2.180 | 2.150 | 2.320 | 2.420 | 2.350 | 2.610 | 2.750 | 2.600 | 2.910 | 3.450 |
| Min (m³/s) | 0.000 | 0.000 | 0.620 | 0.000 | 0.000 | 0.801 | 0.583 | 0.625 | 1.910 | 0.000 | 0.000 | 1.990 | 0.000 |
| Abs Peak (m³/s) | 4.030 | 3.740 | 4.240 | 2.180 | 3.220 | 2.540 | 2.470 | 2.390 | 2.610 | 2.800 | 2.610 | 2.910 | 4.240 |

YEAR 2009/10